

PSCO ProStack

Modular LED Ground Stack System

CREATING
INSPIRING
ENVIRONMENTS



PSC^o ProStack

Modular LED Ground Stack System

CREATING
INSPIRING
ENVIRONMENTS

- Modular design; easy to move and transport
- Panel fixing system for precision alignment
- Flush to front of screen installation
- Height levelling adjustment
- Quick and simple set-up
- Minimal tools required
- Durable paint finish, easy to maintain
- Free standing LED displays of virtually any width or height*

OUTRIGGER

- 1.2m depth to rear of LED display
- Height adjustable levelling feet
- Tool free hand wheel connection to ground beam
- Combined with back support and fixing arm enables free standing LED displays of virtually any height*



FIXING ARM

- Half coupler fixing to back support
- Panel fixing plate secures to the corners of 4 LED displays
- Connects the rear of the LED display to the back support for stability

BACK SUPPORT

- 1m height
- Tool free clamp connection
- Combined with the fixing arm provides support to the rear of the LED display for stability

GROUND BEAM

- 1m, 1.5m and 2m widths available
- Incorporates Absen panel fixing bolt system for quick and accurate alignment
- Height adjustable levelling feet
- Easily bolt together ground beams to create unlimited width, free standing LED displays

PSC^o ProStack


Modular LED Ground Stack System

CREATING
INSPIRING
ENVIRONMENTS

Front Elevation



Side Elevation



- Free standing without counter weighting up to 3m high
- Over 3m high with counter weighting
- Unlimited width

